	Type	L #	Hits	Search Text	DBs
1	BRS	L1	13498	saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6)	USPAT
2	BRS	L2	0	l and ((lut or table) with saturtion)	USPAT
3	BRS	L3	432	1 and ((lut or table) with saturation)	USPAT
4	BRS	L4	19	3 and attribute	USPAT
5	BRS	L5	10	4 and parameter	USPAT
6	BRS	L6	680	1 same (lut or table)	USPAT
7	BRS	L7	185	6 and parameter	USPAT
8	BRS	L8	27	6 and parameter and attribute	USPAT
9	BRS	L9	4181	<pre>saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6)</pre>	US- PGPUB
10	BRS	L10	253	9 same (lut or table)	US- PGPUB
11	BRS	L11	2	10 same attribute	US- PGPUB
12	BRS	L12	5322	saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6)	EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L13	128	12 same (lut or table)	EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	1	13 same attribute	EPO; JPO; DERWEN .T; IBM_TD B

	Туре	L #	Hits	Search Text	DBs
1	BRS	L1	1	(saturation with correct\$6) with parameter	EPO
2	BRS	L2	1	(saturation with correct\$6) with parameter	EPO
3	BRS	L3	17	(saturation with correct\$6) with parameter	DERWEN T
4	BRS	L4	1	((saturation with correct\$6) with parameter) same attribute	DERWEN T
5	BRS	L5	2	((saturation with correct\$6) with parameter) same attribute	EPO; JPO; DERWEN T
6	BRS	L6	o	((saturation with correct\$6) with parameter) same attribute	USPAT
7	BRS	L7	1	(saturation with correct\$6) same parameter same attribute	USPAT
8	BRS	L8	181	(saturation with correct\$6) same parameter	USPAT
9	BRS	L9	181	(saturation with correct\$6) same parameters	USPAT
10	BRS	L11	1	(saturation with correct\$6) same parameters same attribute	USPAT
11	BRS	L10	181	(saturation with correct\$6) same parameters	USPAT
12	BRS	L12	14	((saturation with correct\$6) same parameters) and attribute	USPAT